

WERT NANO PRO 10W40

Description

Fully synthetic motor oil for petrol and diesel engines. Developed according to a revolution technology, based on new generation nano additives and carefully selected synthetic base oils to obtain the following criteria:

- lower fuel consumption
- fast cold start
- safe nanofilm at high temperatures and high loads
- extended oil drain intervals
- very good detergency and dispersion
- very strong protection against foaming, wear and corrosion

Application

This universal, fuel economy, specially composed motor oil, is recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans with extended oil drain intervals.

Exceed performance Level

API SN/CF
ACEA A3/B3 A3/B4
MB-Approval MB 229.51
BMW Longlife-04
PSA PEUGEOT CITROEN B71 2294 & B71 2300
VW 502.00/505.00
FIAT 9.55535-D2
MIL-L-2104 D

Typicals

Density at 15 °C, kg/l	0,851
Viscosity -30 °C, mPa.s	5950
Viscosity 40 °C, mm ² /s	69,20
Viscosity 100 °C, mm ² /s	16,20
Viscosity Index	162
Flash Point COC, °C	230
Pour Point, °C	-42
Total Base Number, mgKOH/g	9,2
Sulphate Ash, %	0,67
HTHS	3,58